

# GENERAL ICE

## AIR CONDITIONERS





- Energy Saving
- Low Noise
- Turbo System
- Auto Restart
- 4D Airflow
- Golden Fin



Wall Mounted Split (T1) - (T3) , On-Off, Cool & Heat

Model No.	GTSE-12HO1RALA	GTSE-18HO1RALA	GTSE-24HO1RALB	GTSE-24HO3RALA	GTSE-30HO3RALA
Power Supply (V-Ph-Hz)	(220 - 240V),1,50	(220 - 240V),1,50	(220 - 240V),1,50	(220 - 240V),1,50	(220 - 240V),1,50
<b>Cooling</b>					
Capacity (Btu / h)	12000	18000	24000	24000	30000
Current (A)	4.9	7.4	9.9	10.1	12.1
Power Input (W)	1066	1598	2132	2178	2664
<b>Heating</b>					
Capacity (Btu / h)	12500	18500	24500	24500	30500
Current (A)	4.7	7.0	9.2	9.0	11.2
Power Input (W)	1016	1504	1992	1984	2470
<b>Compressor &amp; Features</b>					
Type	Rotary	Rotary	Rotary	Tropical Rotary	Tropical Rotary
Brand	GMCC(Toshiba)	GMCC(Toshiba)	HIGHLY(Hitachi)	Gree	Gree
Model	ASM140V01VDZE	KSF190V02UDTB3	GSL236CV-C8DU4	QXA-E290F050	QXAH-E315N050
<b>Capacity</b>	<b>13853</b>	<b>20472</b>	<b>24020</b>	<b>28149</b>	<b>30537</b>
Indoor Air Flow (m <sup>3</sup> /h)	550	800	1000	1100	1500
Indoor Sound Level (dB(A))	42	52	49	56	55
Outdoor Sound Level (dB(A))	50	57	55	58	60
Refrigerant Type	R410A	R410A	R410A	R410A	R410A
Gas Weight (g)	570	1210	1330	1440	1700
<b>Indoor Unit</b>					
Net Dimensions (WxDxH)	800x210x260	920x210x320	1040x235x330	1040x235x330	1200x270x370
Net weight (kg)	8	10	12.5	12.5	16.5
Gross Dimensions (WxDxH)	840x260x315	979x292x372	1096x297x390	1096x312x390	1260x338x430
Gross weight (kg)	9.5	11.5	15	14	19
<b>Outdoor Unit</b>					
Net Dimensions (WxDxH)	800x300x520	870x350x620	870x350x620	920x380x700	920x380x700
Net weight (kg)	25.5	36.5	40	48	48.5
Gross Dimensions (WxDxH)	838x338x540	982x433x685	982x433x685	977x439x750	977x439x750
Gross weight (kg)	28	40	43	54.5	55
<b>Piping Size</b>					
Liquid (mm(Inch))	Φ6.35 (1/4")	Φ6.35 (1/4")	Φ6.35 (1/4")	Φ9.52 (3/8")	Φ9.52 (3/8")
Gas (mm(Inch))	Φ12.7 (1/2")	Φ12.7 (1/2")	Φ12.7 (1/2")	Φ15.88 (5/8")	Φ15.88 (5/8")
<b>Climate Class</b>					
Weather	Normal	Normal	Normal	Tropical	Tropical



- Energy Saving
- Turbo System
- 4D Airflow
- Low Noise
- Auto Restart
- Golden Fin




### Floor Standing Split (T3) , On-Off, Cool & Heat

Floor Standing Split (T3) , On-Off, Cool & Heat		
Model No.	GTFE-36HO3RAFA	GTFE-60HO3SAFA
Power Supply (V-Ph-Hz)	(220 - 240V),1,50	(380 - 415V),3,50
<b>Cooling</b>		
Capacity (Btu / h)	36000	60000
Current (A)	15.3	14.1
Power Input (W)	3286	5455
<b>Heating</b>		
Capacity (Btu / h)	36500	62000
Current (A)	14.1	14.0
Power Input (W)	3093	5439
<b>Compressor &amp; Features</b>		
Type	Tropical Rotary	Tropical Scroll
Brand	Highly (Hitachi)	Sanyo (Panasonic)
Indoor Air Flow (m <sup>3</sup> /h)	1900	1950
Indoor Sound Level (dB(A))	53	55
Outdoor Sound Level (dB(A))	65	60
Refrigerant Type	R410A	R410A
Gas Weight (g)	2550	3300
<b>Indoor Unit</b>		
Net Dimensions (WxDxH)	600x400x1940	600x400x1940
Net weight (kg)	55	55
Gross Dimensions (WxDxH)	2083x743x521	2083x743x521
Gross weight (kg)	65	65
<b>Outdoor Unit</b>		
Net Dimensions (WxDxH)	980x430x810	1000x400x1250
Net weight (kg)	60	105
Gross Dimensions (WxDxH)	1022x480x835	1030x430x1365
Gross weight (kg)	66	114
<b>Piping Size</b>		
Liquid (mm(Inch))	Φ6 (1/4")	Φ12.7 (1/2")
Gas (mm(Inch))	Φ15.88 (5/8")	Φ19 (3/4")
<b>Climate Class</b>		
Weather	Tropical	Tropical

# ***GENERAL ICE***

## **AIR CONDITIONERS**



**CATALOGUE**  
2024